

Patent Assignment Abstract of Title

Total Assignments: 1

Application #: 09751882 **Filing Dt:** 12/29/2000 **Patent #:** NONE **Issue Dt:**
PCT #: NONE **Publication #:** US20010026557 **Pub Dt:** 10/04/2001

Inventors: Gralf Gaedeken, Peter Buchner, Gerd Spalink

Title: Interface link layer device to build a distributed network

Assignment: 1

Reel/Frame: <u>011737/0307</u>	Received: 05/02/2001	Recorded: 04/20/2001	Mailed: 07/12/2001	Pages: 2
---------------------------------------	--------------------------------	--------------------------------	------------------------------	--------------------

Conveyance: ASSIGNMENT OF ASSIGNORS INTEREST (SEE DOCUMENT FOR DETAILS).

Assignors: <u>GAEDEKEN, GRAFL</u>	Exec Dt: 03/12/2001
<u>BUCHNER, PETER</u>	Exec Dt: 03/08/2001
<u>SPALINK, GERD</u>	Exec Dt: 03/09/2001

Assignee: SONY INTERNATIONAL (EUROPE) GMBH

KEMPERPLATZ 1
D-10785 BERLIN, GERMANY

Crossrespondent: FROMMER LAWRENCE & HAUG LLP
WILLIAM S. FROMMER
745 FIFTH AVENUE
NEW YORK, N.Y. 10151

Search Results as of: 1/19/2005 11:13:32 A.M.

If you have any comments or questions concerning the data displayed, contact OPR / Assignments at 703-308-9723
Web interface last modified: Oct. 5, 2002

Refine Search

Search Results -

Term	Documents
UPLINK	6225
UPLINKS	651
(75 AND UPLINK).USPT.	0
(L75 AND UPLINK).USPT.	0

Database: Search Forms Search Results Help User Searches Preferences Logout	<input type="checkbox"/> US Pre-Grant Publication Full-Text Database <input checked="" type="checkbox"/> US Patents Full-Text Database <input type="checkbox"/> US OCR Full-Text Database <input type="checkbox"/> EPO Abstracts Database <input type="checkbox"/> JPO Abstracts Database <input type="checkbox"/> Derwent World Patents Index <input type="checkbox"/> IBM Technical Disclosure Bulletins	<input type="text" value="L75 and u"/> <input type="button" value="Refine Search"/>
		<input type="button" value="Recall Text"/> <input type="button" value="Clear"/> <input type="button" value="Interrupt"/>

Search History

DATE: Wednesday, January 19, 2005 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> <u>Query</u> side by side	<u>Hit Count</u>	<u>Set Name</u> result set
--	----------------------------------	---

DB=USPT; PLUR=YES; OP=ADJ

<u>L76</u>	L75 and uplink	0	<u>L76</u>
<u>L75</u>	L74 and 1394	3	<u>L75</u>
<u>L74</u>	L73 and asynchronous and isochronous	16	<u>L74</u>
<u>L73</u>	L72 and buses	151	<u>L73</u>
<u>L72</u>	L70 and interface	202	<u>L72</u>
<u>L71</u>	distributed adj network and link adj layer adj interface	0	<u>L71</u>
<u>L70</u>	distributed adj network and link adj layer	204	<u>L70</u>
<u>L69</u>	distributed adj network and interface adj link adj layer	0	<u>L69</u>
<u>L68</u>	distributed adj network and interface adjlink adj layer	0	<u>L68</u>
<u>L67</u>	L65 and layer	0	<u>L67</u>

<u>L66</u>	L65 and link	0	<u>L66</u>
<u>L65</u>	L64 and extended	1	<u>L65</u>
<u>L64</u>	L63 and register	1	<u>L64</u>
<u>L63</u>	L60 and channels	1	<u>L63</u>
<u>L62</u>	L60 and predetermine	0	<u>L62</u>
<u>L61</u>	L60 and predetermined	0	<u>L61</u>
<u>L60</u>	L22 and destination	1	<u>L60</u>
<u>L59</u>	L53 and plurality adj busses	1	<u>L59</u>
<u>L58</u>	l53 and plurality adj buses	1	<u>L58</u>
<u>L57</u>	L56 and uplink and downlink	0	<u>L57</u>
<u>L56</u>	L54 and buses	8	<u>L56</u>
<u>L55</u>	L54 and busses	8	<u>L55</u>
<u>L54</u>	L53 and mobiles	14	<u>L54</u>
<u>L53</u>	interface adj link adj layer	49	<u>L53</u>
<u>L52</u>	L51 and uplink and downlink	0	<u>L52</u>
<u>L51</u>	L50 and interface adj link	18	<u>L51</u>
<u>L50</u>	L49 and link adj layer	42	<u>L50</u>
<u>L49</u>	plurality adj buses	2896	<u>L49</u>
<u>L48</u>	L46 and portal	0	<u>L48</u>
<u>L47</u>	L46 and plurality adj channels	0	<u>L47</u>
<u>L46</u>	L45 and link adj layer	53	<u>L46</u>
<u>L45</u>	uplink and downlink and buses	1207	<u>L45</u>
<u>L44</u>	L43 and asynchronous and isochronous	0	<u>L44</u>
<u>L43</u>	L41 and multiple adj channels	1	<u>L43</u>
<u>L42</u>	L41 and plurality adj channels	1	<u>L42</u>
<u>L41</u>	L40 and interface	20	<u>L41</u>
<u>L40</u>	link adj layer and portal and bus	24	<u>L40</u>
<u>L39</u>	L37 and link adj layer	0	<u>L39</u>
<u>L38</u>	L37 and bus	3	<u>L38</u>
<u>L37</u>	interface adj portal	24	<u>L37</u>
<u>L36</u>	L35 and asynchronous and isochronous	1	<u>L36</u>
<u>L35</u>	L33 and plurality adj buses	1	<u>L35</u>
<u>L34</u>	L33 and plurality adj busses	1	<u>L34</u>
<u>L33</u>	interface adj link adj layer and buses	33	<u>L33</u>
<u>L32</u>	L26 and bus	0	<u>L32</u>
<u>L31</u>	L26 and busses	0	<u>L31</u>
<u>L30</u>	L29 and busses	1	<u>L30</u>
<u>L29</u>	L28 and bus	1	<u>L29</u>
<u>L28</u>	L25 and plurality adj busses	1	<u>L28</u>
<u>L27</u>	L26 and bus	0	<u>L27</u>
<u>L26</u>	L25 and interface adj link adj layer	2	<u>L26</u>

<u>L25</u>	uplink and downlink and data adj packets	891	<u>L25</u>
<u>L24</u>	L22 and up and down	0	<u>L24</u>
<u>L23</u>	L22 and link	0	<u>L23</u>
<u>L22</u>	L21 and bus	1	<u>L22</u>
<u>L21</u>	L19 and plurality adj busses	1	<u>L21</u>
<u>L20</u>	L19 and plurality adj data adj busses	0	<u>L20</u>
<u>L19</u>	L17 and bus adj ID	1	<u>L19</u>
<u>L18</u>	L17 and bus adj identifier	0	<u>L18</u>
<u>L17</u>	L15 and destination	1	<u>L17</u>
<u>L16</u>	L15 and uplink and downlink	0	<u>L16</u>
<u>L15</u>	L14 and plurality adj channels	1	<u>L15</u>
<u>L14</u>	L13 and portal	18	<u>L14</u>
<u>L13</u>	asynchronous and isochronous and data adj packets and IEEE adj 1394	329	<u>L13</u>
<u>L12</u>	L10 and portal	0	<u>L12</u>
<u>L11</u>	L10 and data adj packets and portal	0	<u>L11</u>
<u>L10</u>	first adj data adj bus and data adj interface	74	<u>L10</u>
<u>L9</u>	L8 and second adj bus	0	<u>L9</u>
<u>L8</u>	portal and data adj bus and first adj data adj packet	2	<u>L8</u>
<u>L7</u>	L3 and first adj packet and second adj packet	0	<u>L7</u>
<u>L6</u>	L5 and second adj packet	1	<u>L6</u>
<u>L5</u>	L2 and first adj packet	2	<u>L5</u>
<u>L4</u>	L2 and first adj data adj packet	0	<u>L4</u>
<u>L3</u>	L2 and destination	5	<u>L3</u>
<u>L2</u>	L1 and plurality adj channels	8	<u>L2</u>
<u>L1</u>	interface and portal and packet	424	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Term	Documents
WAKAI	1069
WAKAIS	0
BUS	188221
BUSES	46947
BUSSES	16155
"1394"	6582
1394S	12
(WAKAI AND "1394" AND BUS).USPT.	16
Search Form: (WAKAI AND BUS AND 1394).USPT.	16

Search Results
Help
User Searches
[US Pre-Grant Publication Full-Text Database](#)
Preferences
[US Patents Full-Text Database](#)
Logout
[US OCR Full-Text Database](#)
Database:
[EPO Abstracts Database](#)
[JPO Abstracts Database](#)
[Derwent World Patents Index](#)
[IBM Technical Disclosure Bulletins](#)
Search:

Search History

DATE: Wednesday, January 19, 2005
[Printable Copy](#)
[Create Case](#)
Set Name Query

side by side

<u>Hit</u>		<u>Set Name</u>
<u>Count</u>		<u>result set</u>

DB=USPT; PLUR=YES; OP=ADJ

<u>L77</u>	Wakai and bus and 1394	16	<u>L77</u>
<u>L76</u>	L75 and uplink	0	<u>L76</u>
<u>L75</u>	L74 and 1394	3	<u>L75</u>
<u>L74</u>	L73 and asynchronous and isochronous	16	<u>L74</u>
<u>L73</u>	L72 and buses	151	<u>L73</u>

<u>L72</u>	L70 and interface	202	<u>L72</u>
<u>L71</u>	distributed adj network and link adj layer adj interface	0	<u>L71</u>
<u>L70</u>	distributed adj network and link adj layer	204	<u>L70</u>
<u>L69</u>	distributed adj network and interface adj link adj layer	0	<u>L69</u>
<u>L68</u>	distributed adj network and interface adjlink adj layer	0	<u>L68</u>
<u>L67</u>	L65 and layer	0	<u>L67</u>
<u>L66</u>	L65 and link	0	<u>L66</u>
<u>L65</u>	L64 and extended	1	<u>L65</u>
<u>L64</u>	L63 and register	1	<u>L64</u>
<u>L63</u>	L60 and channels	1	<u>L63</u>
<u>L62</u>	L60 and predetermine	0	<u>L62</u>
<u>L61</u>	L60 and predetermined	0	<u>L61</u>
<u>L60</u>	L22 and destination	1	<u>L60</u>
<u>L59</u>	L53 and plurality adj busses	1	<u>L59</u>
<u>L58</u>	153 and plurality adj buses	1	<u>L58</u>
<u>L57</u>	L56 and uplink and downlink	0	<u>L57</u>
<u>L56</u>	L54 and buses	8	<u>L56</u>
<u>L55</u>	L54 and busses	8	<u>L55</u>
<u>L54</u>	L53 and mobiles	14	<u>L54</u>
<u>L53</u>	interface adj link adj layer	49	<u>L53</u>
<u>L52</u>	L51 and uplink and downlink	0	<u>L52</u>
<u>L51</u>	L50 and interface adj link	18	<u>L51</u>
<u>L50</u>	L49 and link adj layer	42	<u>L50</u>
<u>L49</u>	plurality adj buses	2896	<u>L49</u>
<u>L48</u>	L46 and portal	0	<u>L48</u>
<u>L47</u>	L46 and plurality adj channels	0	<u>L47</u>
<u>L46</u>	L45 and link adj layer	53	<u>L46</u>
<u>L45</u>	uplink and downlink and buses	1207	<u>L45</u>
<u>L44</u>	L43 and asynchronous and isochronous	0	<u>L44</u>
<u>L43</u>	L41 and multiple adj channels	1	<u>L43</u>
<u>L42</u>	L41 and plurality adj channels	1	<u>L42</u>
<u>L41</u>	L40 and interface	20	<u>L41</u>
<u>L40</u>	link adj layer and portal and bus	24	<u>L40</u>
<u>L39</u>	L37 and link adj layer	0	<u>L39</u>
<u>L38</u>	L37 and bus	3	<u>L38</u>
<u>L37</u>	interface adj portal	24	<u>L37</u>
<u>L36</u>	L35 and asynchronous and isochronous	1	<u>L36</u>
<u>L35</u>	L33 and plurality adj buses	1	<u>L35</u>
<u>L34</u>	L33 and plurality adj busses	1	<u>L34</u>
<u>L33</u>	interface adj link adj layer and buses	33	<u>L33</u>
<u>L32</u>	L26 and bus	0	<u>L32</u>

<u>L31</u>	L26 and busses	0	<u>L31</u>
<u>L30</u>	L29 and busses	1	<u>L30</u>
<u>L29</u>	L28 and bus	1	<u>L29</u>
<u>L28</u>	L25 and plurality adj busses	1	<u>L28</u>
<u>L27</u>	L26 and bus	0	<u>L27</u>
<u>L26</u>	L25 and interface adj link adj layer	2	<u>L26</u>
<u>L25</u>	uplink and downlink and data adj packets	891	<u>L25</u>
<u>L24</u>	L22 and up and down	0	<u>L24</u>
<u>L23</u>	L22 and link	0	<u>L23</u>
<u>L22</u>	L21 and bus	1	<u>L22</u>
<u>L21</u>	L19 and plurality adj busses	1	<u>L21</u>
<u>L20</u>	L19 and plurality adj data adj busses	0	<u>L20</u>
<u>L19</u>	L17 and bus adj ID	1	<u>L19</u>
<u>L18</u>	L17 and bus adj identifier	0	<u>L18</u>
<u>L17</u>	L15 and destination	1	<u>L17</u>
<u>L16</u>	L15 and uplink and downlink	0	<u>L16</u>
<u>L15</u>	L14 and plurality adj channels	1	<u>L15</u>
<u>L14</u>	L13 and portal	18	<u>L14</u>
<u>L13</u>	asynchronous and isochronous and data adj packets and IEEE adj 1394	329	<u>L13</u>
<u>L12</u>	L10 and portal	0	<u>L12</u>
<u>L11</u>	L10 and data adj packets and portal	0	<u>L11</u>
<u>L10</u>	first adj data adj bus and data adj interface	74	<u>L10</u>
<u>L9</u>	L8 and second adj bus	0	<u>L9</u>
<u>L8</u>	portal and data adj bus and first adj data adj packet	2	<u>L8</u>
<u>L7</u>	L3 and first adj packet and second adj packet	0	<u>L7</u>
<u>L6</u>	L5 and second adj packet	1	<u>L6</u>
<u>L5</u>	L2 and first adj packet	2	<u>L5</u>
<u>L4</u>	L2 and first adj data adj packet	0	<u>L4</u>
<u>L3</u>	L2 and destination	5	<u>L3</u>
<u>L2</u>	L1 and plurality adj channels	8	<u>L2</u>
<u>L1</u>	interface and portal and packet	424	<u>L1</u>

END OF SEARCH HISTORY